

Send to:

postmottak@caa.no

or

 CAA Norway
 PO Box 243
 N-8006 BODØ
 NORWAY

Application for operational authorisation in 'specific' category

Data protection		
<p>Personal data included in this application is processed by the Civil Aviation Authority – Norway (CAA-N) pursuant to Regulation (EU) 2016/679 of the European Parliament and of the Council of 27 April 2016 on the protection of natural persons with regard to the processing of personal data and on the free movement of such data, and repealing Directive 95/46/EC (General Data Protection Regulation). It will be processed for the purposes of the performance, management and follow-up of the application by the CAA-N in accordance with Article 12 and UAS.SPEC.030 of Regulation (EU) 2019/947.</p> <p>The CAA-N is responsible for the processing of your application. Questions on the application may be sent to postmottak@caa.no. If you require further information concerning the processing of your personal data or exercising your rights (e.g. to access or rectify any inaccurate or incomplete data), please contact our data regulation officer at e-mail: personvernombud@caa.no. You have the right to make a complaint regarding the processing of the personal data at any time to the national Data Protection Supervisor Authority.</p> <p>All written inquiries to CAA-N are subject to the Archive Act and the Freedom of Information Act. The public's right to access information does not apply to personal data which is subject to confidentiality.</p>		
1. UAS operator data		
Organisation number (as on brreg.no)	Company name	
Postal address		
Postal code	City	Telephone
Website		E-mail
UAS operator registration number (as on flydrone.no)		
Previously RPAS-operator? <input type="checkbox"/> RO1 <input type="checkbox"/> RO2 <input type="checkbox"/> RO3		If yes, previous RPAS operator number
Accountable manager		
National ID number	Telephone	E-mail

Other management, e.g. operations manager, technical manager, quality manager		Position
National ID number	Telephone	E-mail
Other management, e.g. operations manager, technical manager, quality manager		Position
National ID number	Telephone	E-mail
Other management, e.g. operations manager, technical manager, quality manager		Position
National ID number	Telephone	E-mail
Other management, e.g. operations manager, technical manager, quality manager		Position
National ID number	Telephone	E-mail
Other management, e.g. operations manager, technical manager, quality manager		Position
National ID number	Telephone	E-mail

2. Operations			
Operation type 1 (More types of operations can be added if needed.)			
ConOps – Title/ short description			SAIL-value
Detailed ConOps-description must be attached.			
<input type="checkbox"/> VLOS <input type="checkbox"/> BLOS		PDRA used? <input type="checkbox"/> no <input type="checkbox"/> yes: _____	
Type of area <input type="checkbox"/> Controlled ground area <input type="checkbox"/> Sparsely populated environment <input type="checkbox"/> Populated environment <input type="checkbox"/> Assembly of people	More detailed description (optional)	Initial GRC	Final GRC
Type of airspace		Intrinsic ARC	Residual ARC
UAS used for this operation		Characteristic dimension / typical kinetic energy <input type="checkbox"/> 1 m / 700 J <input type="checkbox"/> 3 m / 34 kJ <input type="checkbox"/> 8 m / 1084 kJ <input type="checkbox"/> > 8 m / > 1084 kJ	
Comments (optional)			

3. Attachments		
Attached documents		Comments (optional)
Operations manual	<input type="checkbox"/> attached	
SORA – ConOps	<input type="checkbox"/> attached as separate document, <input type="checkbox"/> attached as part of a comprehensive SORA-document, <input type="checkbox"/> attached as part of the operations manual	
SORA – GRC, ARC, SAIL calculations, OSOs and safety portfolio	<input type="checkbox"/> attached as separate document, <input type="checkbox"/> attached as part of a comprehensive SORA-document, <input type="checkbox"/> attached as part of the operations manual	
List of UAS	<input type="checkbox"/> attached as separate document (see template below) <input type="checkbox"/> attached as part of: _____	
Proof of insurance	<input type="checkbox"/> attached <input type="checkbox"/> will be sent later during the application process	
4. Other relevant information		
Do you plan to use any communication system between ground station and aircraft other than direct link?	<input type="checkbox"/> relay <input type="checkbox"/> satellite <input type="checkbox"/> cellular <input type="checkbox"/> other: _____	
How many bases is the organisation operating from?		
How many remote pilots are connected to the organisation?		
When do you wish to start operations (provided the application is accepted)?		
Other relevant information (optional)		
5. Declaration		
<p>I, the undersigned, hereby declare that the above stated information is correct. I declare that the UAS operations comply with any applicable national and EU rules related to the operations, in particular:</p> <ul style="list-style-type: none"> - national and EU rules related to privacy, liability, insurance, security and environmental protection; - the applicable requirements of Regulations (EU) 2019/947, (EU) 2020/639 and «forskrift 25. november 2020 nr. 2460 om ubemannet luftfartøy i åpen og spesifikk kategori»; and - the limitations and conditions defined in the authorisation provided by the CAA-N. 		
Name accountable manager		
Place and date (dd.mm.yyyy)	Signature	
	Signature accountable manager (Electronic signature is accepted.)	

Template for list of UAS		
UAS 1		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air/other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension ¹
UAS 2		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air/other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension
UAS 3		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air/other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension

¹ For aeroplanes: the length of the wing span; for helicopters: the diameter of the propellers; for multirotors: the maximum distance between the tips of two opposite propellers.

UAS 4		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air/other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension
UAS 5		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air/other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension
UAS 6		
Manufacturer		
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air/other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension
UAS 7		
Manufacturer	Model	
Serial number		
Configuration <input type="checkbox"/> Aeroplane <input type="checkbox"/> Helicopter <input type="checkbox"/> Multirotor <input type="checkbox"/> VTOL / Hybrid <input type="checkbox"/> Lighter than air/other: _____		
MTOM	Maximum airspeed	Maximum characteristic dimension

Extra operations if needed			
Operation type 2			
ConOps – Title/ short description			SAIL-value
Detailed ConOps-description must be attached.			
<input type="checkbox"/> VLOS <input type="checkbox"/> BLOS		PDRA used? <input type="checkbox"/> no <input type="checkbox"/> yes: _____	
Type of area <input type="checkbox"/> Controlled ground area <input type="checkbox"/> Sparsely populated environment <input type="checkbox"/> Populated environment <input type="checkbox"/> Assembly of people		More detailed description (optional)	Initial GRC
Type of airspace		Intrinsic ARC	Residual ARC
UAS used for this operation		Characteristic dimension / typical kinetic energy <input type="checkbox"/> 1 m / 700 J <input type="checkbox"/> 3 m / 34 kJ <input type="checkbox"/> 8 m / 1084 kJ <input type="checkbox"/> > 8 m / > 1084 kJ	
Comments (optional)			
Operation type 3			
ConOps – Title/ short description			SAIL-value
Detailed ConOps-description must be attached.			
<input type="checkbox"/> VLOS <input type="checkbox"/> BLOS		PDRA used? <input type="checkbox"/> no <input type="checkbox"/> yes: _____	
Type of area <input type="checkbox"/> Controlled ground area <input type="checkbox"/> Sparsely populated environment <input type="checkbox"/> Populated environment <input type="checkbox"/> Assembly of people		More detailed description (optional)	Initial GRC
Type of airspace		Intrinsic ARC	Residual ARC

Type of airspace		Intrinsic ARC	Residual ARC
UAS used for this operation		Characteristic dimension / typical kinetic energy <input type="checkbox"/> 1 m / 700 J <input type="checkbox"/> 3 m / 34 kJ <input type="checkbox"/> 8 m / 1084 kJ <input type="checkbox"/> > 8 m / > 1084 kJ	
Comments (optional)			
Operation type 4			
ConOps – Title/ short description			SAIL-value
Detailed ConOps-description must be attached.			
<input type="checkbox"/> VLOS <input type="checkbox"/> BLOS		PDRA used? <input type="checkbox"/> no <input type="checkbox"/> yes: _____	
Type of area <input type="checkbox"/> Controlled ground area <input type="checkbox"/> Sparsely populated environment <input type="checkbox"/> Populated environment <input type="checkbox"/> Assembly of people		More detailed description (optional)	Initial GRC
			Final GRC
Type of airspace		Intrinsic ARC	Residual ARC
UAS used for this operation		Characteristic dimension / typical kinetic energy <input type="checkbox"/> 1 m / 700 J <input type="checkbox"/> 3 m / 34 kJ <input type="checkbox"/> 8 m / 1084 kJ <input type="checkbox"/> > 8 m / > 1084 kJ	
Comments (optional)			